

SAFETY DATA SHEET

Revision Date 06/07/2023

1. PRODUCT AND COMPANY IDENTIFICATION**1.1 Product identifiers**

Product name : Hexavalent Chromium Cleaning/Developing Solution

Product Number : 769-1070

Brand : SKC Inc.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Detection and cleanup of Hexavalent Chromium

1.3 Details of the supplier of the safety data sheet

Company : SKC, Inc.
863 Valley View Rd.
Eighty Four, PA 15330
USA

Telephone : 724-941-9701; 800-752-8472 (Mon - Fri, 8:30 a.m. - 5:00 p.m. EST)

Fax : 724-941-1369 (Mon-Fri, 8:30 a.m. - 5:00 p.m. EST)

1.4 Emergency telephone number

Emergency Phone # : CHEMTREC at 800-424-9300 (U.S./Canada); 703-741-5970 (Global)

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Corrosive to metals (Category 1), H290
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this section, see section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H290 : May be corrosive to metals.
H314 : Causes severe skin burns and eye damage.
H318 : Causes serious eye damage

Precautionary statement(s)

P234 : Keep only in original container.
P264 : Wash skin thoroughly after handling.
P280 : Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331 : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

| | |
|--------------------|--|
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P321 | Specific treatment (see supplemental first aid instructions on this label). |
| P363 | Wash contaminated clothing before reuse. |
| P390 | Absorb spillage to prevent material damage. |
| P405 | Store locked up. |
| P406 | Store in corrosive resistant stainless steel container with a resistant inner liner. |
| P501 | Dispose of contents/container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

| Component | Classification | Concentration |
|--------------------------|--|---------------|
| Water | No Hazards | 60.1% |
| Component 1 Trade Secret | Eye irritation | 38.05% |
| Component 2 Trade Secret | Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; H290, H314, H318 | 1.85% |

For the full text of the H-Statements mentioned in this section, see section 16.

Important Note: As required by OSHA regulations, hazardous information supplied is based on exposure to reagent-grade (full-strength) chemicals. SKC Cleaning/Developing Solution for Hexavalent Chromium is a dilute solution of Component 1 and Component 2. Component 1 is listed as non-hazardous and Component 2 can cause skin burns and eye damage.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Avoid high volume jet water.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition may produce toxic fumes of phosphorous oxides and/or phosphine

Oxides of phosphorous

Carbon oxides may be formed.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting. Wear full protective clothing.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid eye contact. Wear safety goggles. *For personal protection see section 8.*

6.2 Environmental precautions

Do not let product enter drains, open waterways, or groundwater systems.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid inhalation of vapor or mist. Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not mix or contaminate with any other chemical. Do not eat, drink, or smoke while using this product. *For precautions, see section 2.2.*

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, dry, and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109 C (42.7 C). If separation occurs, mix the product.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | Value | Control parameters | Basis |
|-------------|--|----------------------------|--|
| Component 1 | No TWA or STEL values with OSHA or ACGIH | | |
| Component 2 | TWA | 1 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | STEL | 3 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | TWA | 1.000000 mg/m ³ | USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants |
| | TWA | 1.000000 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | ST | 3.000000 mg/m ³ | USA. NIOSH Recommended Exposure Limits |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Showers, eyewash stations, ventilation systems

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Use in well-ventilated areas or local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|---|---------------------|
| a) Appearance | Form: liquid, clear |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | No data available |
| f) Initial boiling point and boiling range | No data available |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | No data available |
| l) Vapour density | No data available |
| m) Relative density | No data available |
| n) Water solubility | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Excessive heat or cold

10.5 Incompatible materials

Strong bases, powdered metals.

Do not mix with oxidizers, acids, bathroom cleaners, disinfecting agents.

10.6 Hazardous decomposition products

Normal products of combustion - CO CO₂

In the event of fire: see section 5.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Oral LD₅₀ (rat) > 5 g/kg body weight
Dermal LD₅₀ (rabbit) > 5 g/kg body weight

Calculated via OSHA HCS 2012/Globally Harmonized System of Classification and Labelling of Chemicals

Inhalation: May cause headache

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Causes eye irritation

Respiratory or skin sensitization

No data available

Ingestion

May cause upset stomach

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional information

RTECS: Not available

Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Stomach – Irregularities – Based on Human Evidence

Stomach – Irregularities – Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

Component 1 – Reaches 100% biodegradability within 140 days in a sanitary sewer or septic system (extended OECD 301D testing).

Component 2 – No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Never dispose of used rinsates into lakes, streams, and open bodies of water or storm drains.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN Number: 1805

Class: 8

Packing group: III

Proper Shipping name: Hexavalent Chromium Cleaning/Developing Solution

Reportable Quantity (RQ): 5000 lbs

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Component 2

Pennsylvania Right To Know Components

Component 2

Water

New Jersey Right To Know Components

Component 2

Water

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3.**

| | |
|------------|------------------------------------|
| Eye Dam. | Serious eye damage |
| H290 | May be corrosive to metals |
| H314 | Causes severe burns and eye damage |
| H318 | Causes serious eye damage |
| Met. Corr. | Corrosive to metals |
| Skin Corr. | Skin corrosion |

Disclaimer

For approved uses only. Not for drug, household, or other uses.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. SKC Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: June 2023